

Corrugation Pitch x Depth (mm x mm)	Internal Diameter (mm)	End Area (m ²)	Coupling Band (kg / each)	Pipe Mass Per Metre (kg/ m) Sheet Thickness (mm)					
				1.6	2.0	2.5	3.0	3.5	4.2
68 x 13	Ø 300	0.07	7	14.7	18.2	-	-	-	-
	Ø 375	0.11	8	18.2	22.5	-	-	-	-
	Ø 450	0.16	9	21.8	26.9	33.2	-	-	-
	Ø 600	0.28	12	28.9	35.7	43.9	51.9	60.4	-
	Ø 750	0.44	14	36.0	44.4	54.7	64.6	75.1	-
	Ø 900	0.64	16	43.1	53.1	65.4	77.2	89.8	-
	Ø 1050	0.87	21	50.1	61.9	76.1	89.9	104.6	-
	Ø 1200	1.13	23	57.2	70.6	86.9	102.6	119.3	-
	Ø 1350	1.43	25	+	79.38	97.6	115.2	134.0	-
	Ø 1500	1.77	27	+	8.0	108.3	127.9	148.7	-
75 x 25	Ø 1650	2.14	29	+	+	119.0	140.5	163.4	-
	Ø 1800	2.54	32	+	+	+	153.2	178.1	-
	Ø 900	0.64	16	48.5	60.0	-	-	-	-
	Ø 1050	0.87	21	56.4	69.7	86.2	-	-	-
	Ø 1200	1.13	23	64.2	79.4	98.2	117.1	-	-
	Ø 1350	1.43	25	72.1	89.1	110.3	131.4	152.3	-
	Ø 1500	1.77	27	80.0	98.8	122.3	145.7	168.9	-
	Ø 1650	2.14	29	87.8	108.6	134.3	160.0	185.4	-
	Ø 1800	2.54	32	95.7	118.3	146.3	174.3	202.0	-
	Ø 1950	2.99	34	103.5	128.0	158.3	188.6	218.6	-
	Ø 2100	3.46	36	111.4	137.7	170.3	202.9	235.2	-
	Ø 2250	3.98	48	119.3	147.4	182.3	217.2	251.7	-
	Ø 2400	4.52	51	127.1	157.1	194.3	231.6	268.3	-
	Ø 2550	5.11	53	135.0	166.8	206.3	245.9	284.9	-
	Ø 2700	5.73	55	142.8	176.5	218.3	260.2	301.5	-
	Ø 2850	6.38	57	+	186.3	230.4	274.5	318.0	-
	Ø 3000	7.07	60	+	196.0	242.4	288.8	334.6	-
	Ø 3300	8.55	69	+	+	266.4	317.4	367.7	-
Ø 3600	10.18	73	+	+	+	346.0	400.9	-	
125 x 25	Ø 1200	1.13	23	-	71.0	88.0	104.8	121.9	-
	Ø 1350	1.43	25	64.5	79.7	98.8	117.6	136.7	175.5
	Ø 1500	1.77	27	71.5	88.4	109.5	130.4	151.6	194.7
	Ø 1650	2.14	29	78.6	97.1	120.3	143.2	166.5	213.8
	Ø 1800	2.54	32	85.6	105.8	131.0	156.0	181.4	232.9
	Ø 1950	2.99	34	92.6	114.5	141.8	168.8	196.3	252.0
	Ø 2100	3.46	36	99.7	123.2	152.6	181.6	211.1	271.1
	Ø 2250	3.98	48	106.7	131.9	163.3	194.4	226.0	290.2
	Ø 2400	4.52	51	113.7	140.6	174.1	207.2	240.9	309.3
	Ø 2550	5.11	53	120.8	149.3	184.8	220.0	255.8	328.4
	Ø 2700	5.73	55	+	158.0	195.6	232.8	270.7	347.6
	Ø 2850	6.38	57	+	166.7	206.4	245.6	285.6	366.7
	Ø 3000	7.07	60	+	+	217.1	258.4	300.4	385.7
	Ø 3300	8.55	69	+	+	238.6	284.0	330.2	424.0
	Ø 3600	10.18	73	+	+	+	309.6	360.0	462.2
	150 x 50	Available on Request							

NOTES:

1. “ - ” Not suitable for manufacture
2. “ + ” Exceeds design code flexibility limit



1300 CULVERT (1300 285 837)



info@cmpmanufacturing.com.au